



## 1313(p) Petrochemical Drawback

### Qualifying Chemicals by HTS

HTS Code (8-Digit)	Description
2707.10.00	Benzene
2707.20.00	Toluene
2707.30.00	Xylenes
2707.40.00	Naphthalene
2707.50.00	Other aromatic hydrocarbon mixtures of which 65 percent or more by volume (including losses) distills at 250°C by the ISO 3405 method (equivalent to the ASTM D 86 method)
2707.91.00	Creosote oils
2707.99.10	Light oil
2707.99.20	Picolines
2707.99.40	Carbazole having a purity of 65 percent or more by weight
2707.99.51	Phenols:Containing more than 50 percent by weight of hydroxybenzene
2707.99.55	Phenols:Metacresol, orthocresol, paracresol and metaparacresol, all the foregoing having a purity of 75 percent or more by weight
2707.99.59	Phenols: Other
2707.99.90	Other
2708.10.00	Pitch
2708.20.00	Pitch coke
2709.00.10	Petroleum oils and oils obtained from bituminous minerals, crude:Testing under 25 degrees A.P.I.
2709.00.20	Petroleum oils and oils obtained from bituminous minerals, crude:Testing 25 degrees A.P.I. or more
2710.12.15	Light oils and preparations: Motor Fuel
2710.12.18	Motor fuel blending stock
2710.12.25	Napthas (except motor fuel or motor fuel blending stock)
2710.12.45	Other: Mixtures of hydrocarbons not elsewhere specified or included, which contain by weight not over 50 percent of any single hydrocarbon compound
2710.12.90	Other
2710.19.06	Distillate and residual fuel oils (including blended fuel oils) Testing under 25 degrees A.P.I having a saybolt Universal viscosity at 37.8 degrees C of 45 seconds or more but no more than 125 seconds (No. 4-type fuel oils)
2710.19.11	Distillate and residual fuel oils (including blended fuel oils) Testing under 25 degrees A.P.I having a saybolt Universal viscosity at 37.8 degrees C of 45 seconds or more but no more than 125 seconds (light fuel oils)
2710.19.16	Kerosene-type jet fuel
2710.19.24	Kerosene (except kerosene-type jet fuel): Motor fuel
2710.19.25	Motor fuel blending stock
2710.19.26	Kerosene (except kerosene-type jet fuel)

Notice: This document may not be used, published, or redistributed without the prior written consent of Alliance International CHB, Inc



## 1313(p) Petrochemical Drawback

### Qualifying Chemicals by HTS

HTS Code (8-Digit)	Description
2710.19.30	Oils
2710.19.35	Greases: Containing not over 10 percent by weight of salts of fatty acids of animal (including marine animal) or vegetable origin
2710.19.40	Other
2710.19.45	Other: Mixtures of hydrocarbons not elsewhere specified or included, which contain by weight not over 50 percent of any single hydrocarbon compound
2710.19.90	Other:
2710.20.05	Distillate and residual fuel oils (including blended fuel oils) Testing under 25 degrees A.P.I
2710.20.10	Distillate and residual fuel oils (including blended fuel oils) Testing 25 degrees A.P.I. or more
2710.20.15	Kerosene-type jet fuel, motor fuel or motor fuel blending stock
2710.20.25	Kerosene (except kerosene-type jet fuel, motor fuel or motor fuel blending stock)
2710.91.00	Waste oils: Containing polychlorinated biphenyls (PCBs), polychlorinated terphenyls (PCTs) or polybrominated biphenyls (PBBs)
2710.99.05	Other: Wastes of distillate and residual fuel oils (whether or not blended): Testing under 25 degrees A.P.I
2710.99.10	Testing 25 degrees A.P.I. or more
2710.99.16	Wastes of motor fuel or motor fuel blending stock
2710.99.21	Wastes of Kerosene or naphthas
2710.99.31	Wastes of lubricating oils and greases (whether or not containing additives): Of oils
2710.99.32	Of greases: Containing not over 10 percent by weight of salts of fatty acids of animal (including marine animal) or vegetable origin
2710.99.39	Other
2710.99.45	Other: Mixtures of hydrocarbons not elsewhere specified or included, which contain by weight not over 50 percent of any single hydrocarbon compound
2710.99.90	Other
2711.11.00	Petroleum gases and other gaseous hydrocarbons: Liquefid: Natural gas
2711.12.00	Propane
2711.13.00	Butanes
2711.14.00	Ethylene, propylene, butylene and butadiene
2711.19.00	Other
2711.21.00	Petroleum jelly; paraffin wax, microcrystalline petroleum wax, slack wax, ozokerite, lignite wax, peat wax, other mineral waxes and similar products obtained by synthesis or by other processes, whether or not colored: Petroleum jelly
2711.29.00	Other

Notice: This document may not be used, published, or redistributed without the prior written consent of Alliance International CHB, Inc



## 1313(p) Petrochemical Drawback

### Qualifying Chemicals by HTS

HTS Code (8-Digit)	Description
2712.10.00	Petroleum jelly
2712.20.00	Paraffin wax containing by weight less than .75 percent of oil
2712.90.10	Other: Montan wax
2712.90.20	Other
2713.11.00	Petroleum coke: Not calcined
2713.12.00	Calcined
2713.20.00	Petroleum bitumen
2713.90.00	Other residues of petroleum oils or of oil obtained from bituminous materials
2714.10.00	Bituminous or oil shale and tar sands
2714.90.00	Other
2715.00.00	Bituminous mixtures based on natural asphalt, on natural bitumen, on petroleum bitumen, on mineral tar or on mineral tar pitch (for example, bituminous mastics, cut-backs)
2901.10.10	Ethane and butane
2901.10.30	n-Pentane and isopentane
2901.10.40	Other: Derived in whole or in part from petroleum, shale oil or natural gas
2901.10.50	Other
2901.21.00	Unsaturated: Ethylene
2901.22.00	Propene (Propylene)
2901.23.00	Butane (Butylene) and isomers thereof
2901.24.10	Buta-1, 3-diene and isoprene: Buta-1, 3-diene
2901.24.20	Isoprene: Having a purity of 95 percent or more by weight
2901.24.50	Other
2901.29.10	Derived in whole or in part from petroleum, shale oil or natural gas
2901.29.50	Other
2902.11.00	Cyclohexane
2902.19.00	Other
2902.20.00	Benzene
2902.30.00	Toluene
2902.41.00	Xylenes: o-Xylene
2902.42.00	m-Xylene
2902.43.00	p-Xylene
2902.44.00	Mixed xylene isomers

Notice: This document may not be used, published, or redistributed without the prior written consent of Alliance International CHB, Inc



## 1313(p) Petrochemical Drawback

### Qualifying Chemicals by HTS

HTS Code (8-Digit)	Description
2902.50.00	Styrene
2902.60.00	Ethylbenzene
2902.70.00	Cumene
2902.90.10	Other: Psuedocumene
2902.90.20	Acenaphthene, chrysene, cymene, dimethylnaphthalenes, fluoranthene, indene, mesitylene, methylantracene, methylnaphthalene, phenanthrene and pyrene
2902.90.30	Alkylbenzenes and polyalkylbenzenes
2902.90.40	Anthracene; and 1,4-Di-(2-methylstryryl) benzene
2902.90.60	Biphenyl (Diphenyl) in flakes
2902.90.90	Other
2903.21.00	Vinyl chloride (Chloroethylene)
2909.19.14	Methyl tertiary-butyl ether (MTBE)
2917.36.00	Terephthalic acid and its salt
2917.39.04	1,2,4-Benzenetricarboxylic acid, 1,2-dianhydride (Trimellitic anhydride); Phthalic acid; and 4-Sulfo-1,8-naphthalic anhydride
2917.39.15	Isophthalic acid
2926.10.00	Acrylonitrile
3811.21.00	Additives for lubricating oils: Containing petroleum oils or oils obtained from bituminous minerals and various "others"
3811.90.00	Other
3901.10.10	Polymers of ethylene, in primary form: Having a relative viscosity of 1.44 or more
3901.10.50	Linear low density polyethylene
3901.20.10	Polyethylene having a specific gravity of .94 or more: Having a relative viscosity of 1.44 or more (kg)
3901.20.50	Other
3901.30.20	Ethylene-vinyl acetate copolymers: Vinyl acetate-vinyl chloride-ethylene terpolymers, containing by weight less than 50 percent derivatives of vinyl acetate, except those polymerized from aromatic or modified aromatic monomers (kg)
3901.30.60	Other
3901.40.00	Ethylene-alpha-olefin copolymers, having a specific gravity of less than 0.94
3901.90.10	Other: Elastomeric (kg)
3901.90.55	Other: Ethylene copolymers
3901.90.90	Other
3902.10.00	Polymers of propylene or of other olefins, in primary forms: Polypropylene

Notice: This document may not be used, published, or redistributed without the prior written consent of Alliance International CHB, Inc



## 1313(p) Petrochemical Drawback

### Qualifying Chemicals by HTS

HTS Code (8-Digit)	Description
3902.20.10	Polyisobutylene: Elastomeric
3902.20.50	Other
3902.30.00	Propylene copolymers
3902.90.00	Polybutylene
3903.11.00	Expandable
3903.19.00	Other
3903.20.00	Styrene-acrylonitrile (SAN) copolymers
3903.30.00	Acrylonitrile-butadiene-styrene (ABS) copolymers
3903.90.10	Methyl methacrylate-butadiene-styrene (MBS) copolymers
3903.90.50	Other
3904.10.00	Poly(vinyl chloride), not mixed with any other substances Other poly(vinyl chloride):
3904.21.00	Nonplasticized
3904.22.00	Plasticized
3904.30.20	Vinyl acetate-vinyl chloride-ethylene terpolymers, containing by weight less than 50 percent derivatives of vinyl acetate, except those polymerized from aromatic or modified aromatic monomers
3904.30.60	Other
3904.40.00	Other vinyl chloride copolymers
3904.50.00	Vinylidene chloride polymers
3904.61.00	Fluoropolymers: Polytetrafluoroethylene (PTFE)
3904.69.10	Elastomeric
3904.69.50	Other
3904.90.10	Elastomeric
3904.90.50	Other
3905.12.00	Polymers of vinyl acetate or of other vinyl esters, in primary forms; other vinyl polymers in primary forms: Poly(vinyl acetate): In aqueous dispersion
3905.19.00	Other
3905.21.00	In aqueous dispersion
3905.29.00	Other
3905.30.00	Poly(vinyl alcohol), whether or not containing unhydrolyzed acetate groups
3905.91.10	Containing by weight 50 percent or more of derivatives of vinyl acetate
3905.91.50	Other
3905.99.30	Polyvinyl carbazole (including adjuvants)

Notice: This document may not be used, published, or redistributed without the prior written consent of Alliance International CHB, Inc



## 1313(p) Petrochemical Drawback

### Qualifying Chemicals by HTS

HTS Code (8-Digit)	Description
3905.99.80	Other
3906.10.00	Poly(methyl methacrylate)
3906.90.10	Other: Elastomeric
3906.90.20	Plastics
3906.90.50	Other
3907.10.00	Polyacetals
3907.20.00	Other polyethers
3907.21.00	Bis(polyoxyethylene) methylphosphonate
3907.29.00	Other
3907.30.00	Epoxide resins
3907.40.00	Polycarbonates
3907.50.00	Alkyd resins
3907.60.00	Poly(ethylene terephthalate)
3907.61.00	Having a viscosity number of 78 ml/g or higher
3907.69.00	Other
3907.70.00	Poly(lactic acid)
3907.91.20	Allyl resins, uncompounded
3907.91.40	Other
3907.91.50	Other
3907.99.01	Polybutylene terephthalate
3907.99.20	Thermoplastic liquid crystal aromatic polyester copolymers
3907.99.50	Polybutylene terephthalate
3908.10.00	Polyamides in primary forms: Polyamide-6, -11, -12, -6,6, -6,9, -6,10 or -6,12
3908.90.20	Other: Bis(4-amino-3-methylcyclohexyl)methane- isophthalic acid-laurolactam copolymer
3908.90.70	Other
3909.10.00	Urea resins; thiourea resins
3909.20.00	Melamine resins
3909.30.00	Other amino-resins
3909.31.00	Poly(methylene phenyl isocyanate) (crude MDI, polymeric MDI)
3909.39.00	Other
3909.40.00	Phenolic resins
3909.50.10	Elastomeric

Notice: This document may not be used, published, or redistributed without the prior written consent of Alliance International CHB, Inc



## 1313(p) Petrochemical Drawback

### Qualifying Chemicals by HTS

HTS Code (8-Digit)	Description
3909.50.20	Cements
3909.50.50	Other
3910.00.00	Silicones in primary forms
3911.10.00	Petroleum resins, coumarone, indene or coumarone-indene resins; polyterpenes
3911.20.00	Poly(1,3-phenylene methylphosphonate)
3911.90.10	Other: Elastomeric
3911.90.15	Poly(nitrilomethanetetraarylnitrilo- [2,4,6-tris-(1-methylethyl)-1,3- phenylene]]-2,6-bis(1-methylethyl)- phenyl]- ω-[[[2,6-bis(1-methylethyl)- phenyl]amino]methylene]amino carbodiimide or 2,4-diisocyanate-1,3,5-tris(1- methyl- ethyl) homopolymer with polyethylene
3911.90.25	391190254Thermosetting:
3911.90.35	1,1'-Bis(methylenedi-4,1-phenylene)- 1H-pyrrole-2,5-dione, copolymer with 4,4'-methylenebis(benzeneamine); and Hydrocarbon novolac cyanate ester
3911.90.45	391190453Other:
3911.90.70	Chlorinated Synthetic rubber
3911.90.90	Thermoplastic
3911.90.91	Other
3912.11.00	Cellulose acetates: Nonplasticized
3912.12.00	Plasticized
3912.20.00	Cellulose nitrates (including collodions)
3912.31.00	Cellulose ethers: Carboxymethylcellulose and its salts
3912.39.00	Other
3912.90.00	Other
3913.10.00	Alginic acid, its salts and esters
3913.90.10	Chemical derivatives of natural rubber
3913.90.20	Polysaccharides and their derivatives
3913.90.50	Other
3914.00.20	Ion-exchangers based on polymers of headings 3901 to 3913, in primary forms: Cross-linked polyvinylbenzyltrimethylammonium chloride (Cholestyramine resin USP)
3914.00.60	WASTE, PARINGS AND SCRAP; SEMIMANUFACTURES; ARTICLES

Notice: This document may not be used, published, or redistributed without the prior written consent of Alliance International CHB, Inc